



## Quality of Cotton Classed by Classing Office

Volume 57, No. 22

15-Jan-16

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**  
*For The Week Ending January 14, 2016*

<b>Classing Office</b>	<b>Week</b>		<b>Season</b>	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Abilene	45	73,382	46	792,385
Corpus Christi	3	531	60	757,608
Dumas	-	-	41	603,109
Florence	16	5,345	61	783,621
Lamesa	33	71,430	43	1,393,471
Lubbock	45	88,205	74	2,350,273
Macon	63	79,215	80	2,578,547
Memphis	-	-	86	1,336,229
Rayville *	1	-	20	207,301
Visalia	21	13,309	40	420,476
<b>United States</b>	<b>227</b>	<b>331,417</b>	<b>551</b>	<b>11,223,020</b>
Percent tenderable		50.1		55.8
<b>AMERICAN PIMA</b>				
Visalia	11	15,933	28	392,586
<b>United States</b>	<b>11</b>	<b>15,933</b>	<b>28</b>	<b>392,586</b>
<b>United States all cotton</b>	<b>235</b>	<b>347,350</b>	<b>566</b>	<b>11,615,606</b>

\* Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	2.1	2.1	15.3	0.9	16.9	-	7.2	-	0.1	9.0	10.6
	3	2.1	6.3	-	11.3	-	14.3	-	0.1	3.4	6.2
	4	0.3	0.9	-	1.5	-	2.0	-	*	0.3	0.7
	5	*	0.1	-	0.1	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
<b>Total</b>	----	<b>4.6</b>	<b>22.6</b>	<b>0.9</b>	<b>29.8</b>	-	<b>23.6</b>	-	<b>0.2</b>	<b>12.6</b>	<b>17.5</b>
31	1-2	4.8	5.0	-	4.9	-	4.3	-	0.2	12.5	8.0
	3	15.9	14.7	-	14.0	-	24.7	0.4	0.9	24.9	20.0
	4	9.7	8.2	0.4	4.9	-	23.0	0.1	0.5	7.8	10.5
	5	2.1	2.0	0.4	0.7	-	4.6	-	0.1	0.7	2.0
	6	0.2	0.3	-	0.1	-	0.3	-	*	*	0.1
	7	*	*	-	*	-	*	-	-	-	*
<b>Total</b>	----	<b>32.9</b>	<b>30.2</b>	<b>0.8</b>	<b>24.6</b>	-	<b>56.9</b>	<b>0.5</b>	<b>1.6</b>	<b>46.0</b>	<b>40.7</b>
41	1-2	1.2	0.7	0.2	1.1	-	0.3	0.3	0.8	2.6	0.8
	3	7.4	4.4	3.6	7.1	-	1.9	4.0	3.7	11.5	3.8
	4	10.8	5.3	10.0	4.8	-	3.7	4.2	2.4	10.1	5.8
	5	6.5	3.0	12.6	1.2	-	2.9	0.2	0.5	3.8	4.2
	6	2.4	1.1	0.4	0.2	-	0.8	-	*	0.6	1.6
	7	0.6	0.3	-	*	-	0.1	-	-	0.1	0.4
<b>Total</b>	----	<b>29.1</b>	<b>14.8</b>	<b>26.7</b>	<b>14.3</b>	-	<b>9.5</b>	<b>8.8</b>	<b>7.4</b>	<b>28.6</b>	<b>16.6</b>
51	1-2	*	*	8.7	0.1	-	0.1	0.5	1.1	*	*
	3	0.1	*	33.9	0.5	-	0.7	4.9	7.8	*	*
	4	0.2	0.1	12.1	0.7	-	1.1	6.2	6.0	0.1	*
	5	0.3	0.1	7.0	0.4	-	0.4	0.6	1.3	0.1	0.1
	6	0.3	0.1	0.9	0.1	-	0.1	-	0.1	0.1	0.1
	7	0.3	0.1	-	*	-	*	-	*	*	0.1
<b>Total</b>	----	<b>1.3</b>	<b>0.4</b>	<b>62.5</b>	<b>1.7</b>	-	<b>2.4</b>	<b>12.2</b>	<b>16.4</b>	<b>0.3</b>	<b>0.3</b>
61	1-2	-	-	-	*	-	*	-	0.1	-	-
	3	-	-	-	*	-	*	0.2	0.5	-	-
	4	-	-	-	*	-	*	0.6	0.5	-	-
	5	-	*	-	*	-	*	*	0.2	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	*	-	*	-	-
<b>Total</b>	----	-	*	-	*	-	*	<b>0.9</b>	<b>1.2</b>	-	-
71	1-2	-	-	-	*	-	-	-	*	-	-
	3	-	-	-	-	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	0.1	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
<b>Total</b>	----	-	-	-	*	-	*	-	<b>0.1</b>	-	*
12 & 22	1-2	0.2	4.4	-	2.4	-	0.1	-	*	0.2	2.9
	3	0.1	2.6	0.2	3.0	-	0.2	-	*	0.3	1.9
	4	*	0.4	-	0.9	-	0.1	-	-	*	0.3
	5	*	*	-	0.1	-	*	-	-	-	*
	6	-	*	-	*	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	<b>0.3</b>	<b>7.5</b>	<b>0.2</b>	<b>6.4</b>	-	<b>0.3</b>	-	*	<b>0.4</b>	<b>5.0</b>
32	1-2	1.9	2.4	0.2	0.7	-	0.1	0.1	0.1	1.1	1.8
	3	4.5	5.8	-	3.9	-	0.4	0.1	0.2	2.7	5.4
	4	1.5	3.0	-	2.8	-	0.6	-	0.1	1.4	3.4
	5	0.3	0.7	-	0.4	-	0.2	-	*	0.2	0.8
	6	*	0.1	-	0.1	-	*	-	*	*	0.1
	7	*	*	-	*	-	*	-	*	-	*
<b>Total</b>	----	<b>8.3</b>	<b>12.1</b>	<b>0.2</b>	<b>7.9</b>	-	<b>1.3</b>	<b>0.2</b>	<b>0.5</b>	<b>5.4</b>	<b>11.4</b>
42	1-2	0.5	0.3	-	0.6	-	*	0.4	0.3	0.3	0.1
	3	4.8	2.1	-	4.7	-	0.7	5.9	2.9	1.7	1.0
	4	6.1	2.5	2.8	5.4	-	1.1	5.4	2.4	1.6	1.7
	5	2.4	1.3	0.4	1.4	-	0.4	0.3	0.5	0.8	1.2
	6	0.6	0.4	-	0.3	-	*	-	*	0.2	0.5
	7	0.1	0.1	-	0.1	-	*	-	*	*	0.1
<b>Total</b>	----	<b>14.5</b>	<b>6.8</b>	<b>3.2</b>	<b>12.4</b>	-	<b>2.3</b>	<b>12.0</b>	<b>6.1</b>	<b>4.8</b>	<b>4.7</b>
52	1-2	*	*	-	*	-	*	1.6	1.3	*	*
	3	0.1	*	0.2	0.5	-	0.9	14.1	16.3	*	*
	4	0.2	0.1	0.9	0.9	-	1.8	18.0	18.6	*	*
	5	0.2	0.1	0.8	0.3	-	0.5	4.8	4.6	*	*
	6	0.1	0.1	0.9	0.1	-	*	0.2	0.5	*	*
	7	0.1	*	-	*	-	*	-	*	*	*
<b>Total</b>	----	<b>0.7</b>	<b>0.2</b>	<b>2.8</b>	<b>1.8</b>	-	<b>3.2</b>	<b>38.6</b>	<b>41.3</b>	<b>0.1</b>	<b>0.1</b>

\* Less than 0.05 percent.

Page 2

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	*	0.1	0.3	-	-
	3	-	*	-	*	-	*	1.9	4.1	-	-
	4	-	-	-	*	-	0.1	3.2	5.8	-	-
	5	-	*	-	*	-	*	0.7	1.8	-	-
	6	-	-	-	*	-	*	*	0.2	-	*
	7	-	-	-	*	-	-	-	*	-	*
	<b>Total</b>	----	-	*	-	*	-	<b>0.1</b>	<b>6.0</b>	<b>12.4</b>	-
13 & 23	1-2	*	0.6	-	*	-	*	-	-	*	0.3
	3	*	0.3	-	0.1	-	*	-	-	-	0.2
	4	-	0.1	-	*	-	*	-	-	-	*
	5	-	*	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	*	<b>1.0</b>	-	<b>0.2</b>	-	*	-	-	<b>0.6</b>
33	1-2	0.2	0.4	-	*	-	*	-	*	0.2	0.2
	3	0.9	1.0	-	0.1	-	*	0.2	*	0.4	0.8
	4	0.5	0.5	-	0.1	-	*	*	*	0.2	0.5
	5	0.1	0.2	-	*	-	*	-	*	*	0.1
	6	*	*	-	*	-	-	-	*	-	*
	7	*	*	-	-	-	-	-	-	-	*
	<b>Total</b>	----	<b>1.8</b>	<b>2.1</b>	-	<b>0.2</b>	-	*	<b>0.2</b>	*	<b>0.8</b>
43	1-2	0.1	0.1	-	*	-	*	-	*	*	*
	3	1.1	0.4	1.1	0.1	-	*	1.5	0.2	0.3	0.3
	4	1.9	0.6	-	0.1	-	0.1	0.5	0.2	0.3	0.5
	5	1.2	0.4	-	0.1	-	*	0.1	0.1	0.1	0.3
	6	0.3	0.1	-	*	-	*	-	*	*	0.1
	7	*	*	-	*	-	*	-	*	*	*
	<b>Total</b>	----	<b>4.6</b>	<b>1.7</b>	<b>1.1</b>	<b>0.4</b>	-	<b>0.1</b>	<b>2.1</b>	<b>0.5</b>	<b>0.8</b>
53	1-2	-	*	-	*	-	*	*	0.1	-	*
	3	*	*	0.2	*	-	*	3.2	1.7	*	*
	4	0.1	*	-	*	-	0.1	5.3	2.8	*	*
	5	0.1	*	-	*	-	*	1.3	1.0	*	*
	6	0.1	*	-	*	-	*	0.1	0.1	*	*
	7	*	*	-	*	-	*	*	*	*	*
	<b>Total</b>	----	<b>0.4</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	-	<b>0.1</b>	<b>9.9</b>	<b>5.7</b>	*
63	1-2	-	*	-	*	-	-	*	*	-	-
	3	-	*	-	*	-	*	1.0	1.1	-	*
	4	-	-	-	*	-	*	3.1	2.2	*	*
	5	-	-	-	*	-	*	1.5	1.0	-	-
	6	-	*	-	*	-	*	0.1	0.2	-	-
	7	*	*	-	*	-	-	-	*	*	*
	<b>Total</b>	----	*	*	-	*	-	*	<b>5.7</b>	<b>4.6</b>	*
24 - 54	1-7	0.9	0.5	1.1	0.1	-	*	0.7	0.2	0.1	0.2
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	0.1	*	0.2	*	-	*	2.3	1.7	*	*
All Colors	8 2/	<b>0.7</b>	<b>0.2</b>	*	*	-	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		22.8	12.7	0.9	5.6	-	1.2	3.8	2.1	20.0	13.6
Bark - Level 2		-	*	-	*	-	-	-	-	-	-
Grass - Level 1		-	*	-	0.5	-	0.1	-	*	-	*
Grass - Level 2		-	-	-	*	-	-	-	-	-	-
Prep - Level 1		*	*	-	*	-	*	0.2	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	*
30		*	*	-	0.1	-	-	0.2	*	*	0.1
31		0.6	0.4	-	1.3	-	*	0.8	0.2	0.3	0.4
32		3.4	3.0	0.4	4.3	-	*	3.9	2.5	2.2	2.1
33		9.8	10.5	6.4	8.7	-	0.6	9.7	10.4	8.2	8.0
34		16.4	17.2	11.3	14.5	-	3.2	16.5	23.7	18.7	18.5
35		19.9	18.7	35.4	20.8	-	11.8	23.5	28.2	30.5	26.5
36		22.8	21.0	18.8	23.3	-	28.4	23.3	21.1	21.0	22.2
37		17.2	20.4	3.0	20.6	-	43.6	18.4	11.9	11.0	14.5
38 & longer		9.9	8.8	24.7	6.3	-	12.3	3.8	1.9	8.1	7.8
<b>Average staple</b>		<b>35.4</b>	<b>35.4</b>	<b>35.9</b>	<b>35.3</b>	-	<b>36.5</b>	<b>35.2</b>	<b>35.0</b>	<b>35.3</b>	<b>35.4</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	3.5	9.4	0.1	0.5	-	3.3	-	6.8	8.4	33.3
	4	4.8	11.4	0.1	0.4	-	6.8	-	5.4	1.0	8.8
	5	0.8	2.9	*	*	-	1.0	-	0.3	*	0.6
	6	0.1	0.3	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	-	-	-
	<b>Total</b>	----	<b>9.2</b>	<b>24.0</b>	<b>0.2</b>	<b>1.0</b>	-	<b>11.1</b>	-	<b>12.6</b>	<b>9.4</b>
31	1-2	6.0	4.4	0.5	3.1	-	2.5	-	7.0	13.4	12.6
	3	23.8	19.9	3.3	11.5	-	22.4	-	27.3	18.2	14.5
	4	17.3	18.8	1.3	2.9	-	21.4	-	12.1	5.7	3.5
	5	3.5	5.7	*	0.2	-	4.5	-	1.3	0.3	0.5
	6	0.2	0.7	*	*	-	0.2	-	0.1	*	0.1
	7	*	0.1	-	*	-	*	-	*	-	*
	<b>Total</b>	----	<b>50.8</b>	<b>49.5</b>	<b>5.2</b>	<b>17.7</b>	-	<b>51.0</b>	-	<b>47.7</b>	<b>37.6</b>
41	1-2	0.4	0.1	1.6	2.0	-	0.7	-	0.7	3.8	2.6
	3	3.8	1.6	14.1	18.7	-	5.8	-	8.6	18.4	9.2
	4	11.4	4.8	8.7	12.0	-	9.8	-	13.5	13.0	5.0
	5	9.0	5.1	0.9	1.7	-	6.9	-	5.3	4.6	1.6
	6	2.9	2.3	*	0.1	-	1.8	-	1.2	1.9	0.4
	7	0.5	0.7	-	*	-	0.2	-	*	1.2	0.1
	<b>Total</b>	----	<b>28.0</b>	<b>14.5</b>	<b>25.3</b>	<b>34.5</b>	-	<b>25.2</b>	-	<b>29.3</b>	<b>42.8</b>
51	1-2	-	*	0.5	0.2	-	0.2	-	0.1	0.9	0.1
	3	*	*	6.9	3.0	-	1.6	-	0.9	0.8	0.3
	4	*	*	4.6	2.8	-	2.3	-	0.3	0.2	0.3
	5	*	*	0.8	0.6	-	1.2	-	0.1	0.2	0.1
	6	0.1	*	*	0.1	-	0.3	-	*	0.5	0.1
	7	0.1	*	*	*	-	*	-	*	0.7	0.1
	<b>Total</b>	----	<b>0.2</b>	<b>0.1</b>	<b>12.7</b>	<b>6.7</b>	-	<b>5.6</b>	-	<b>1.3</b>	<b>3.2</b>
61	1-2	-	*	*	*	-	-	-	-	-	-
	3	-	-	0.1	*	-	*	-	*	-	-
	4	-	-	0.1	*	-	*	-	*	-	*
	5	*	*	*	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	-	-	-
	7	-	*	-	*	-	*	-	-	-	*
	<b>Total</b>	----	*	*	<b>0.2</b>	*	-	*	-	*	-
71	1-2	-	*	-	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	-	*	*	*	-	-	-	-	-
12 & 22	1-2	1.1	0.9	*	*	-	*	-	0.2	0.1	1.3
	3	1.1	1.4	*	*	-	*	-	0.3	*	0.7
	4	0.3	0.6	*	*	-	*	-	*	*	0.1
	5	0.1	0.1	*	*	-	*	-	*	-	*
	6	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>2.5</b>	<b>3.0</b>	*	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.4</b>	<b>0.1</b>
32	1-2	0.9	0.5	0.1	0.3	-	*	-	0.5	*	0.4
	3	2.1	2.1	0.9	1.6	-	0.2	-	1.5	0.5	0.9
	4	1.9	2.3	0.6	0.6	-	0.3	-	0.7	1.0	0.4
	5	0.8	1.1	0.1	0.1	-	0.1	-	0.1	0.1	0.1
	6	0.1	0.3	-	*	-	*	-	*	-	*
	7	*	0.1	-	-	-	*	-	-	-	*
	<b>Total</b>	----	<b>5.9</b>	<b>6.4</b>	<b>1.8</b>	<b>2.6</b>	-	<b>0.6</b>	-	<b>2.8</b>	<b>1.6</b>
42	1-2	0.1	*	0.5	0.5	-	0.1	-	0.2	-	0.1
	3	0.4	0.2	8.6	8.1	-	1.3	-	1.2	0.3	0.7
	4	0.7	0.5	7.9	8.4	-	1.8	-	1.5	1.5	0.5
	5	0.4	0.5	0.9	1.6	-	0.4	-	0.7	0.4	0.3
	6	0.1	0.3	*	0.1	-	*	-	0.1	0.2	0.1
	7	*	0.1	*	*	-	*	-	-	0.1	*
	<b>Total</b>	----	<b>1.7</b>	<b>1.7</b>	<b>18.0</b>	<b>18.7</b>	-	<b>3.6</b>	-	<b>3.8</b>	<b>2.6</b>
52	1-2	-	*	0.3	0.2	-	*	-	0.1	-	*
	3	*	*	7.8	4.4	-	0.8	-	0.9	*	0.1
	4	-	*	10.1	6.9	-	1.1	-	0.4	*	*
	5	*	*	2.1	1.9	-	0.4	-	0.2	*	*
	6	*	*	0.2	0.2	-	0.1	-	*	0.4	*
	7	*	*	*	*	-	*	-	-	0.5	*
	<b>Total</b>	----	*	*	<b>20.4</b>	<b>13.5</b>	-	<b>2.4</b>	-	<b>1.5</b>	<b>0.9</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	*	0.1	*	-	*	-	-	-	-
	3	*	*	1.1	0.1	-	*	-	*	-	-
	4	*	*	0.8	0.1	-	*	-	*	-	*
	5	-	*	0.2	*	-	*	-	*	-	*
	6	-	*	*	*	-	*	-	*	-	*
	7	-	-	*	*	-	*	-	-	-	-
<b>Total</b>	----	*	*	2.2	0.2	-	*	-	*	-	*
13 & 23	1-2	0.1	*	-	*	-	*	-	*	*	*
	3	0.4	0.1	*	*	-	*	-	*	-	*
	4	0.1	*	-	*	-	*	-	*	-	*
	5	*	*	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
<b>Total</b>	----	0.6	0.2	*	*	-	*	-	*	*	*
33	1-2	*	*	*	*	-	*	-	*	-	*
	3	0.2	0.1	0.1	0.1	-	*	-	0.1	-	*
	4	0.2	0.2	0.1	*	-	*	-	*	*	*
	5	0.1	0.1	*	*	-	*	-	*	-	*
	6	*	*	*	*	-	*	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	*
<b>Total</b>	----	0.6	0.4	0.2	0.2	-	0.1	-	0.1	*	0.1
43	1-2	*	*	0.1	*	-	*	-	*	-	*
	3	0.1	*	1.4	0.6	-	*	-	0.1	-	*
	4	0.1	*	1.7	0.7	-	0.1	-	0.1	0.1	*
	5	0.1	*	0.3	0.2	-	*	-	*	*	*
	6	*	*	*	*	-	*	-	*	*	*
	7	*	*	-	*	-	*	-	-	-	*
<b>Total</b>	----	0.3	0.1	3.5	1.6	-	0.2	-	0.2	0.1	0.1
53	1-2	-	*	*	*	-	*	-	*	-	*
	3	*	*	1.9	0.5	-	*	-	0.1	-	*
	4	*	*	3.9	1.5	-	*	-	0.1	-	*
	5	*	*	1.3	0.7	-	*	-	*	-	*
	6	*	*	0.1	0.1	-	*	-	*	-	*
	7	-	*	*	*	-	*	-	*	*	*
<b>Total</b>	----	*	*	7.2	2.8	-	0.1	-	0.2	*	*
63	1-2	*	*	*	*	-	-	-	-	-	-
	3	*	*	0.3	*	-	*	-	-	-	-
	4	*	*	0.7	0.1	-	*	-	-	-	-
	5	-	*	0.4	0.1	-	*	-	-	-	*
	6	-	*	0.1	*	-	*	-	-	-	*
	7	-	-	*	*	-	*	-	-	-	-
<b>Total</b>	----	*	*	1.5	0.2	-	*	-	-	-	*
24 - 54	1-7	0.1	*	0.9	0.2	-	*	-	*	*	*
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	0.7	*	-	*	-	*	*	*
All Colors	8 2/	*	0.1	*	*	-	*	-	*	1.6	0.1
<b>EXTRANEous MATTER</b>											
Bark - Level 1	37.7	22.0	3.0	2.3	-	1.5	-	0.8	7.0	1.0	
Bark - Level 2	-	-	-	*	-	-	-	-	-	-	
Grass - Level 1	*	*	*	0.1	-	*	-	0.1	0.1	0.1	
Grass - Level 2	-	-	-	*	-	-	-	-	-	-	
Prep - Level 1	*	*	12.6	5.2	-	0.2	-	*	-	*	
Prep - Level 2	-	*	*	*	-	-	-	-	-	-	
Other - Level 1	*	*	-	*	-	*	-	*	-	*	
Other - Level 2	-	-	-	-	-	-	-	-	-	-	
<b>STAPLE</b>											
28 & shorter	-	-	-	-	-	-	-	-	-	-	-
29	-	*	-	-	-	-	-	-	-	-	-
30	*	*	-	*	-	-	-	-	-	-	-
31	0.2	0.2	*	*	-	*	-	*	-	*	*
32	1.2	1.2	0.4	0.2	-	*	-	0.6	*	*	*
33	5.4	5.2	3.1	2.0	-	0.2	-	3.8	0.3	0.3	
34	16.5	13.6	14.3	8.3	-	1.0	-	11.9	4.1	2.4	
35	28.9	22.0	25.6	21.5	-	4.7	-	23.8	24.6	11.7	
36	24.1	21.6	28.8	32.5	-	13.9	-	28.0	34.5	24.4	
37	17.5	20.0	23.4	28.0	-	42.9	-	25.5	25.3	35.3	
38 & longer	6.3	16.1	4.3	7.5	-	37.3	-	6.4	11.2	25.9	
<b>Average staple</b>	<b>35.5</b>	<b>35.9</b>	<b>35.7</b>	<b>36.0</b>	-	<b>37.2</b>	-	<b>35.8</b>	<b>36.2</b>	<b>36.9</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	*
21	-	*	-	*	-	-	0.1	*	-	*
22	*	*	-	0.1	-	-	0.4	*	*	*
23	0.1	*	-	0.1	-	-	1.2	0.2	*	*
24	0.4	0.2	-	0.3	-	*	5.2	1.4	0.1	0.1
25	0.7	0.4	0.4	0.9	-	*	12.9	5.6	0.4	0.2
26	1.3	0.9	1.7	2.1	-	*	22.1	12.7	1.3	0.9
27	4.3	2.6	4.0	4.3	-	0.2	21.2	19.3	4.0	2.9
28	10.4	7.6	11.1	8.2	-	1.1	15.4	22.1	8.0	7.7
29	15.3	14.7	19.4	13.2	-	3.7	10.6	18.4	14.9	15.4
30	19.5	19.3	23.9	17.9	-	9.2	6.2	11.4	24.2	23.2
31	20.8	21.6	17.9	18.2	-	13.7	4.1	5.6	23.2	21.7
32	15.0	17.7	16.2	15.0	-	19.0	0.4	2.1	12.7	14.9
33	8.4	10.4	4.1	10.2	-	21.6	0.1	0.8	8.1	8.2
34	2.8	3.6	1.1	5.9	-	18.9	0.1	0.2	2.5	3.4
35	0.9	0.9	0.2	2.7	-	9.3	*	0.1	0.5	1.0
36 & above	0.1	0.2	-	1.0	-	3.3	-	*	0.1	0.3
<b>Average</b>	<b>30.3</b>	<b>30.6</b>	<b>30.0</b>	<b>30.6</b>	-	<b>32.5</b>	<b>27.0</b>	<b>28.0</b>	<b>30.3</b>	<b>30.5</b>
MIKE										
24 & below	*	*	-	*	-	*	-	-	-	*
25	0.2	*	-	*	-	*	-	*	-	*
26	0.2	*	-	*	-	*	-	*	*	*
27	0.2	*	-	*	-	*	-	*	-	*
28	0.3	0.1	-	*	-	*	-	*	0.1	0.1
29	0.2	0.1	-	*	-	*	-	*	0.1	0.2
30	0.3	0.2	-	*	-	*	-	*	0.3	0.2
31	0.6	0.3	-	0.1	-	*	*	*	0.6	0.4
32	0.8	0.5	-	0.1	-	*	0.3	*	0.6	0.6
33	1.1	0.9	-	0.3	-	*	0.4	*	0.7	0.8
34	1.4	1.4	-	0.5	-	*	0.8	0.1	1.1	1.1
35	2.1	2.1	1.1	1.0	-	0.1	1.0	0.1	1.3	1.6
36	3.1	3.0	3.6	1.7	-	0.1	1.7	0.1	1.5	2.2
37	3.7	3.9	2.8	2.6	-	0.2	1.4	0.2	2.7	2.9
38	5.0	4.9	4.5	3.6	-	0.3	1.2	0.3	3.1	3.7
39	5.7	6.1	5.1	4.6	-	0.4	1.4	0.4	4.1	4.7
40	6.2	6.8	4.7	5.9	-	0.5	2.4	0.6	5.1	5.6
41	6.8	7.4	3.6	6.7	-	0.8	5.1	1.0	6.0	6.9
42	6.9	7.7	2.4	7.8	-	1.1	6.5	1.4	8.3	8.5
43	6.8	8.2	3.6	8.2	-	1.5	5.7	2.2	10.3	10.0
44	6.9	8.7	8.7	8.8	-	2.6	6.0	3.4	10.7	10.9
45	8.0	9.0	4.9	9.2	-	4.4	7.3	5.2	12.4	10.9
46	8.7	8.5	5.3	8.9	-	6.1	9.6	7.1	12.0	9.6
47	7.5	7.3	3.6	8.3	-	7.9	8.6	9.3	9.1	7.6
48	6.7	5.6	4.3	7.5	-	9.9	10.0	11.6	5.8	5.5
49	5.2	3.9	17.7	5.9	-	12.5	7.1	13.5	2.5	3.2
50	3.1	2.1	14.3	4.1	-	13.2	7.3	13.5	1.0	1.7
51	1.5	0.9	8.9	2.3	-	12.4	6.0	11.7	0.6	0.7
52	0.7	0.3	0.6	1.2	-	10.5	4.9	9.0	0.2	0.3
53	0.1	*	0.4	0.4	-	8.0	2.9	5.5	*	0.1
54	*	*	-	0.1	-	4.7	1.3	2.7	*	*
55	*	*	-	*	-	2.2	0.5	0.9	-	*
56	*	*	-	*	-	0.4	0.4	0.2	-	*
57	-	-	-	*	-	*	0.1	*	-	-
58	-	-	-	*	-	*	*	*	-	-
59	-	-	-	-	-	-	*	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
<b>Average</b>	<b>43</b>	<b>43</b>	<b>45</b>	<b>44</b>	-	<b>49</b>	<b>46</b>	<b>49</b>	<b>43</b>	<b>43</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	*	*	*	*	-	-	-	-	-	-
22	*	*	*	*	-	-	-	-	-	-
23	*	*	0.2	*	-	*	-	-	-	-
24	0.2	0.1	1.8	0.2	-	*	-	*	-	*
25	0.6	0.5	9.3	1.6	-	*	-	0.1	0.1	*
26	1.1	1.2	19.0	5.5	-	0.1	-	0.5	0.5	0.3
27	2.3	2.9	23.4	13.1	-	0.5	-	1.5	0.9	0.9
28	5.8	6.7	21.6	21.5	-	2.0	-	3.8	3.3	3.0
29	13.0	12.6	14.6	23.6	-	6.0	-	7.3	10.9	7.9
30	20.2	17.8	6.8	16.8	-	14.5	-	10.8	19.2	13.1
31	21.1	19.0	2.6	9.5	-	20.9	-	13.1	26.0	15.4
32	16.6	16.5	0.7	5.0	-	20.1	-	18.1	18.9	14.5
33	10.3	11.5	0.1	2.2	-	17.9	-	22.8	10.6	11.3
34	5.2	6.5	*	0.7	-	12.3	-	14.2	5.9	11.1
35	2.3	3.0	*	0.2	-	4.5	-	5.9	2.6	10.1
36 & above	1.1	1.5	*	*	-	1.2	-	1.9	1.2	12.2
<b>Average</b>	<b>30.8</b>	<b>30.9</b>	<b>27.4</b>	<b>28.9</b>	-	<b>31.8</b>	-	<b>31.9</b>	<b>31.1</b>	<b>32.3</b>
MIKE										
24 & below	0.3	*	-	*	-	-	-	-	0.1	*
25	0.4	*	*	*	-	-	-	-	*	*
26	0.5	0.1	*	*	-	-	-	-	-	*
27	0.8	0.2	*	*	-	*	-	-	-	*
28	0.7	0.4	*	*	-	*	-	-	0.1	*
29	0.9	0.8	0.1	*	-	*	-	*	*	0.1
30	1.2	1.2	0.1	*	-	*	-	*	0.3	0.1
31	1.4	1.8	0.2	*	-	0.1	-	*	0.7	0.2
32	1.7	2.6	0.2	*	-	0.1	-	*	0.9	0.2
33	2.4	3.4	0.4	0.1	-	0.3	-	*	1.1	0.2
34	3.3	4.4	0.5	0.1	-	0.5	-	*	1.0	0.4
35	4.1	5.5	0.6	0.2	-	0.8	-	*	2.0	0.6
36	4.7	6.5	0.9	0.3	-	1.1	-	*	1.2	0.9
37	5.7	7.6	1.3	0.4	-	1.7	-	*	1.0	1.3
38	7.4	8.5	2.2	0.7	-	2.2	-	*	1.5	2.1
39	8.8	9.1	2.7	1.0	-	3.2	-	0.1	2.8	2.9
40	9.8	9.4	3.7	1.5	-	4.2	-	0.2	4.2	4.1
41	10.1	9.0	4.6	2.3	-	5.0	-	0.5	7.0	5.5
42	9.6	8.1	5.8	3.4	-	6.3	-	0.6	6.2	6.8
43	8.6	6.7	8.0	5.0	-	7.2	-	1.1	10.8	8.6
44	6.4	5.1	9.4	7.2	-	7.8	-	2.1	12.2	9.8
45	4.3	3.6	10.4	9.5	-	8.6	-	2.9	9.7	9.6
46	3.1	2.4	10.5	11.7	-	8.5	-	4.2	8.6	9.7
47	2.0	1.5	10.1	13.2	-	8.7	-	6.5	8.2	9.5
48	1.0	0.9	8.7	13.1	-	8.2	-	9.6	6.9	8.8
49	0.4	0.5	7.2	11.6	-	7.1	-	13.2	4.5	6.6
50	0.1	0.2	5.4	8.8	-	6.0	-	15.7	3.4	5.3
51	0.1	0.1	3.6	5.5	-	4.8	-	15.5	4.0	3.7
52	*	*	1.9	2.8	-	3.6	-	13.8	1.0	2.1
53	*	*	0.8	1.1	-	2.3	-	9.4	0.3	0.7
54	*	*	0.3	0.3	-	1.2	-	3.7	0.1	0.1
55	-	*	0.1	0.1	-	0.5	-	0.7	-	*
56	*	*	*	*	-	0.2	-	0.1	-	*
57	-	-	-	*	-	*	-	*	-	*
58	-	-	-	*	-	*	-	-	-	*
59	-	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	*
<b>Average</b>	<b>39</b>	<b>39</b>	<b>45</b>	<b>47</b>	-	<b>45</b>	-	<b>50</b>	<b>44</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	*	-	*	-	-	-	-
25 - 26	0.3	*	-	*	-	*	-	*	*	*
27 - 29	0.7	0.2	-	*	-	*	-	*	0.2	0.2
30 - 32	1.7	1.0	-	0.2	-	*	0.3	0.1	1.5	1.5
33 - 34	2.6	2.3	-	0.9	-	*	1.2	0.1	1.8	1.8
35 - 36	5.1	5.1	4.7	2.7	-	0.1	2.7	0.2	2.8	2.8
37 - 42	34.3	36.8	23.2	31.3	-	3.3	18.1	3.9	29.3	29.3
43 - 49	49.8	51.2	48.0	56.9	-	45.0	54.2	52.1	62.8	62.8
50 - 52	5.4	3.4	23.7	7.6	-	36.2	18.3	34.2	1.7	1.7
53 & above	0.1	0.1	0.4	0.5	-	15.4	5.2	9.4	*	*
<b>Average</b>	<b>43</b>	<b>43</b>	<b>45</b>	<b>44</b>	-	<b>49</b>	<b>46</b>	<b>49</b>	<b>43</b>	<b>43</b>
HVI TRASH 1/										
00	*	*	-	*	-	-	-	-	-	*
01	1.5	11.2	0.8	7.5	-	2.1	0.1	0.3	5.4	6.4
02	11.3	19.9	9.2	21.6	-	14.1	4.7	6.1	20.9	19.2
03	18.0	19.8	20.5	23.9	-	23.0	17.3	18.5	24.5	21.1
04	18.6	16.1	16.6	19.4	-	21.8	30.1	25.2	19.2	17.3
05	15.7	11.6	12.6	12.6	-	16.4	25.2	21.6	12.9	12.6
06	11.7	7.7	12.6	7.1	-	10.6	13.9	14.0	7.7	8.5
07	7.9	4.9	12.8	3.7	-	6.1	5.8	7.6	4.5	5.5
08	5.2	3.1	8.5	1.9	-	3.1	1.8	3.7	2.4	3.5
09	3.4	2.0	4.3	0.9	-	1.5	0.7	1.8	1.3	2.2
10	2.2	1.3	1.3	0.5	-	0.7	0.2	0.7	0.6	1.4
11	1.4	0.8	0.6	0.3	-	0.3	0.1	0.3	0.3	0.9
12	0.9	0.5	0.2	0.2	-	0.2	0.1	0.1	0.2	0.6
13	0.5	0.3	-	0.1	-	0.1	*	*	0.1	0.3
14	0.4	0.2	-	0.1	-	*	-	*	*	0.2
15	0.3	0.1	-	*	-	*	-	*	*	0.1
16	0.2	0.1	-	*	-	*	-	*	*	0.1
17	0.1	0.1	-	*	-	*	-	*	*	*
18 & above	0.5	0.1	-	*	-	*	-	*	-	*
<b>Average</b>	<b>0.51</b>	<b>0.40</b>	<b>0.50</b>	<b>0.37</b>	-	<b>0.43</b>	<b>0.46</b>	<b>0.47</b>	<b>0.38</b>	<b>0.42</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	*	-	-	*	*	-	*
72.5-73.4	-	-	-	*	-	-	*	*	-	*
73.5-74.4	*	*	-	*	-	-	-	*	*	*
74.5-75.4	0.1	*	-	*	-	-	0.1	*	*	*
75.5-76.4	0.2	0.1	-	0.2	-	-	0.7	0.1	0.2	0.2
76.5-77.4	1.4	0.8	-	0.8	-	*	2.7	1.0	1.1	1.3
77.5-78.4	5.6	3.8	0.2	2.5	-	0.1	9.8	4.1	4.9	4.9
78.5-79.4	14.8	13.3	3.0	7.3	-	0.5	20.1	12.4	15.0	14.2
79.5-80.4	26.3	25.7	10.0	17.0	-	3.8	30.8	27.1	33.5	29.0
80.5-81.4	28.9	28.2	25.4	30.3	-	18.3	27.6	32.7	34.2	32.5
81.5-82.4	17.8	20.4	36.2	29.5	-	44.5	7.2	17.8	10.0	14.7
82.5-83.4	4.4	6.8	22.4	10.9	-	28.4	0.8	4.1	1.0	3.0
83.5-84.4	0.5	0.8	2.8	1.6	-	4.1	*	0.5	*	0.3
84.5-85.4	0.1	0.1	-	0.1	-	0.4	-	*	-	*
85.5-86.4	*	*	-	*	-	*	-	*	-	*
86.5-87.4	*	*	-	-	-	*	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.4</b>	<b>80.6</b>	<b>81.7</b>	<b>81.1</b>	-	<b>82.0</b>	<b>79.9</b>	<b>80.5</b>	<b>80.2</b>	<b>80.4</b>
Tenderable 3/	<b>52.0</b>	<b>67.3</b>	<b>66.5</b>	<b>64.8</b>	-	<b>43.1</b>	<b>15.1</b>	<b>16.5</b>	<b>69.5</b>	<b>70.3</b>
SAMPLES CLASSED										
Week	<b>73,382</b>		<b>531</b>		-		<b>5,345</b>		<b>71,430</b>	
Season		<b>792,385</b>		<b>757,608</b>		<b>603,109</b>		<b>783,621</b>		<b>1,393,471</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending January 14, 2016**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.3	*	-	*	-	-	-	-	0.1	*
25 - 26	0.9	0.1	*	*	-	-	-	-	*	*
27 - 29	2.4	1.4	0.1	*	-	*	-	*	0.1	0.1
30 - 32	4.3	5.7	0.5	0.1	-	0.2	-	*	1.9	0.5
33 - 34	5.6	7.8	0.9	0.2	-	0.8	-	*	2.1	0.6
35 - 36	8.9	12.0	1.5	0.5	-	1.9	-	*	3.3	1.5
37 - 42	51.4	51.7	20.3	9.3	-	22.5	-	1.4	22.8	22.7
43 - 49	25.9	20.8	64.3	71.2	-	56.0	-	39.7	60.8	62.6
50 - 52	0.2	0.4	11.0	17.1	-	14.4	-	44.9	8.5	11.0
53 & above	*	*	1.3	1.5	-	4.2	-	13.9	0.5	0.8
<b>Average</b>	<b>39</b>	<b>39</b>	<b>45</b>	<b>47</b>	-	<b>45</b>	-	<b>50</b>	<b>44</b>	<b>45</b>
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	2.4	3.7	0.2	0.5	-	0.7	-	3.1	7.1	20.9
02	11.8	13.9	6.2	9.5	-	8.0	-	17.0	27.0	37.5
03	18.7	19.5	22.3	24.1	-	18.4	-	24.1	23.5	20.9
04	19.5	18.8	28.1	26.2	-	21.9	-	22.4	16.5	10.7
05	16.2	15.2	21.4	19.2	-	18.6	-	15.4	10.9	5.0
06	11.8	10.8	12.0	11.1	-	13.1	-	8.9	5.2	2.4
07	8.0	7.1	5.7	5.4	-	8.4	-	4.7	2.9	1.2
08	5.0	4.4	2.4	2.4	-	5.0	-	2.3	1.7	0.6
09	2.9	2.7	1.0	1.0	-	2.9	-	1.1	1.5	0.4
10	1.7	1.6	0.4	0.4	-	1.6	-	0.6	1.2	0.2
11	1.0	0.9	0.2	0.2	-	0.9	-	0.2	0.7	0.1
12	0.5	0.5	0.1	0.1	-	0.4	-	0.1	0.5	0.1
13	0.3	0.3	*	*	-	0.1	-	*	0.4	*
14	0.1	0.2	*	*	-	0.1	-	*	0.2	*
15	0.1	0.1	*	*	-	*	-	*	0.2	*
16	*	*	*	*	-	*	-	*	0.2	*
17	*	*	*	*	-	*	-	*	0.1	*
18 & above	*	*	*	*	-	*	-	*	0.2	*
<b>Average</b>	<b>0.48</b>	<b>0.46</b>	<b>0.45</b>	<b>0.43</b>	-	<b>0.49</b>	-	<b>0.40</b>	<b>0.38</b>	<b>0.26</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-
73.5-74.4	*	*	-	*	-	*	-	-	-	-
74.5-75.4	0.1	0.1	*	*	-	*	-	-	-	*
75.5-76.4	0.6	0.4	*	*	-	*	-	*	*	*
76.5-77.4	2.0	1.8	0.2	0.1	-	*	-	*	0.2	0.2
77.5-78.4	6.3	6.2	1.4	0.4	-	0.1	-	0.2	1.4	1.3
78.5-79.4	15.5	16.2	5.8	2.4	-	0.4	-	1.0	7.4	6.4
79.5-80.4	27.5	28.0	18.0	10.5	-	2.5	-	4.8	25.1	21.2
80.5-81.4	28.8	27.5	34.7	28.6	-	12.0	-	17.5	47.9	33.7
81.5-82.4	14.9	14.7	28.3	37.3	-	30.7	-	32.3	15.6	25.5
82.5-83.4	3.7	4.3	10.1	17.6	-	39.0	-	35.7	2.3	9.2
83.5-84.4	0.6	0.7	1.4	3.0	-	14.1	-	7.9	0.2	2.2
84.5-85.4	*	0.1	0.1	0.2	-	1.1	-	0.6	*	0.2
85.5-86.4	*	*	-	*	-	*	-	*	-	*
86.5-87.4	-	*	-	*	-	*	-	-	-	-
87.5-88.4	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.3</b>	<b>80.3</b>	<b>81.1</b>	<b>81.6</b>	-	<b>82.5</b>	-	<b>82.2</b>	<b>80.7</b>	<b>81.1</b>
Tenderable 3/	<b>53.7</b>	<b>62.0</b>	<b>34.9</b>	<b>48.1</b>	-	<b>71.9</b>	-	<b>37.0</b>	<b>75.0</b>	<b>83.0</b>
SAMPLES CLASSED										
Week	<b>88,205</b>		<b>79,215</b>		-				<b>13,309</b>	
Season		<b>2,350,273</b>		<b>2,578,547</b>		<b>1,336,229</b>		<b>207,301</b>		<b>420,476</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

For The Week Ending January 14, 2016

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA		
		Week	Season		Week	Season	
01	1	3.8	16.5	MIKE 24 & below 25-26 27-29 30-32 33-34 35-36 37-42 43-49 50-52 53 & above	-	-	
	2	12.7	16.6		*	*	
	3	1.5	0.7		2.3	0.5	
	4	-	*		4.1	1.7	
	5	-	-		3.1	3.1	
	6	-	-		6.9	9.4	
	7	-	-		69.2	77.1	
	<b>Total -----</b>	<b>18.0</b>	<b>33.8</b>		<b>14.4</b>	<b>8.2</b>	
02	1	4.6	4.6	ALL RANGE MIKE 24 & below 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	*	*	
	2	25.3	28.8		-	-	
	3	5.8	9.8		-	*	
	4	0.5	0.5		*	*	
	5	-	*		1.0	0.5	
	6	-	*		1.8	0.8	
	7	-	-		1.4	1.2	
	<b>Total -----</b>	<b>36.2</b>	<b>43.7</b>		1.7	2.0	
03	1	0.5	0.2	27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	0.2	0.1	
	2	17.1	6.8		0.8	0.2	
	3	11.3	8.5		1.3	0.3	
	4	0.9	1.6		1.2	0.4	
	5	*	0.1		1.0	0.5	
	6	-	*		1.8	0.8	
	7	-	*		1.4	1.2	
	<b>Total -----</b>	<b>29.8</b>	<b>17.2</b>		2.8	3.5	
04	1	-	*	35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	4.0	5.9	
	2	1.6	0.7		5.1	8.9	
	3	6.2	2.3		8.2	11.9	
	4	2.1	0.9		11.6	14.9	
	5	0.3	0.2		15.3	17.7	
	6	0.1	*		15.9	14.4	
	7	*	*		13.1	9.2	
	<b>Total -----</b>	<b>10.3</b>	<b>4.1</b>		8.9	4.8	
05	1	-	*	43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	3.6	2.1	
	2	0.1	0.1		1.5	0.8	
	3	0.3	0.3		0.4	0.4	
	4	0.9	0.3		*	0.1	
	5	0.8	0.1		-	*	
	6	0.5	0.1		*	*	
	7	0.9	*		*	*	
	<b>Total -----</b>	<b>3.6</b>	<b>1.0</b>		*	*	
06	1	-	*	60 & above	*	*	
	2	-	*		*	*	
	3	-	*		*	*	
	4	0.2	0.1		*	*	
	5	0.3	*		-	-	
	6	0.3	*		-	-	
	7	1.0	0.1		-	-	
	<b>Total -----</b>	<b>1.8</b>	<b>0.2</b>		-	-	
07	1	-	-	Average	<b>39</b>	<b>39</b>	
	2	-	-		Strength		
	3	-	*		17 & below	-	
	4	-	*		18	-	
	5	-	*		19	-	
	6	*	*		20	-	
	7	0.4	*		21	-	
	<b>Total -----</b>	<b>0.4</b>	*		22	-	
<b>STAPLE</b>				23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above		23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above	
40 & shorter					-	-	
42					-	-	
44					-	-	
46					-	-	
48 & longer					-	-	
<b>Average</b>					-	-	
<b>UNIFORMITY</b>					-	-	
72.4 & below					-	-	
72.5-73.4					-	-	
73.5-74.4					-	-	
74.5-75.4					-	-	
75.5-76.4					-	-	
76.5-77.4					-	-	
77.5-78.4					-	-	
78.5-79.4					-	-	
79.5-80.4					-	-	
80.5-81.4					-	-	
81.5-82.4					-	-	
82.5-83.4					-	-	
83.5-84.4					-	-	
84.5-85.4					-	-	
85.5-86.4					-	-	
86.5-87.4					-	-	
87.5-88.4					-	-	
88.5-89.4					-	-	
89.5 & above					-	-	
<b>Average</b>					<b>43.8</b>	<b>43.7</b>	
<b>SAMPLES CLASSED</b>				EXTRANEous MATTER			
Week					Bark	2.4	
Season					Grass	-	
					Spindle Twist	0.1	
					Preparation	-	

\* Less than 0.05 percent.



**Cotton and Tobacco Program**  
**3275 Appling Road, Memphis, TN 38133**  
(901) 384-3016

## Extraneous Matter By Classing Office

15-Jan-16

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
For the Week ending Thursday, January 14, 2016**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
	*	-	22.8%	-	-	-	*	-	-	-	-	-	-	-	22.8%	-	73,382
Abilene	*	-	0.9%	-	-	-	-	-	-	-	-	-	-	-	0.9%	-	531
Corpus Christi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dumas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	0.2%	-	3.8%	-	-	-	0.1%	-	-	-	-	-	-	-	4.1%	-	5,345
Lamesa	*	-	20.0%	-	-	*	*	-	-	-	-	-	-	-	20.0%	-	71,430
Lubbock	*	-	37.7%	-	*	*	*	-	-	-	-	-	*	-	37.7%	-	88,205
Macon	12.6%	*	3.0%	-	*	-	7.7%	-	-	-	*	-	-	-	23.3%	*	79,215
Memphis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rayville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Visalia	-	-	7.0%	-	0.1%	-	-	-	-	-	-	-	-	-	7.0%	-	13,309
United States	3.0%	*	20.4%	-	*	-	1.8%	-	-	-	*	-	*	-	25.3%	*	331,417

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
For the Season ending Thursday, January 14, 2016**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2		
	*	-	12.7%	*	*	-	*	-	-	-	*	-	*	-	12.7%	*	792,385	
Abilene	*	-	5.6%	*	0.5%	*	0.2%	*	*	*	*	-	*	*	*	6.4%	*	757,608
Corpus Christi	*	-	1.2%	-	0.1%	-	*	-	*	-	-	-	*	-	1.3%	-	603,109	
Dumas	*	-	2.1%	-	*	-	*	-	-	-	-	-	-	-	2.1%	-	783,621	
Florence	*	-	13.6%	-	*	-	*	-	*	-	-	-	-	-	13.7%	-	1,393,471	
Lamesa	*	*	22.0%	-	*	-	*	-	-	-	-	-	*	-	22.0%	*	2,350,273	
Lubbock	*	*	2.3%	*	0.1%	*	4.4%	-	-	*	*	*	*	*	12.0%	*	2,578,547	
Macon	5.2%	*	1.5%	-	*	-	*	-	*	-	*	*	*	*	1.7%	-	1,336,229	
Memphis	0.2%	-	0.8%	-	0.1%	-	*	-	*	-	*	*	*	*	0.8%	-	207,301	
Rayville	*	-	1.0%	-	0.1%	-	0.3%	-	-	-	*	*	*	*	1.4%	-	420,476	
United States	1.2%	*	8.6%	*	0.1%	*	1.1%	*	*	-	*	*	*	*	10.9%	*	11,223,020	

\* Less than 0.05 percent.